Ref: API-LET-003461

30 April 2018

Manager, Compliance (Ministerial Statements) Department of Water and Environmental Regulation Locked Bag 10 East Perth WA 6892



API Management Pty Limited ABN 66 112 677 595

Level 14 225 St Georges Terrace PERTH WA 6000

PO Box 7361 Cloisters Square WA 6850

Telephone: (61) 8 9423 0222 Facsimile: (61) 8 9423 0233 mail@apijv.com.au www.apijv.com.au

Dear Sir / Madam,

Ministerial Statement 930 - West Pilbara Iron Ore Project Stage 1: Anketell Point Port Development – Compliance Assessment Letter Report.

API Management Pty Ltd (APIM) received Ministerial approval for the West Pilbara Iron Ore Project (WPIOP) Stage 1: Anketell Point Port proposal on 30 January 2013.

Condition 4-6 of Ministerial Statement 930 (MS 930) requires APIM to submit a Compliance Assessment Report annually from the date of submission of the first compliance assessment report (24 April 2014).

Implementation of the proposal has not commenced and there has consequently been no ground disturbance or other construction activity during the period 31 January 2017 to 30 January 2018. In accordance with advice previously received from the Compliance Branch, APIM hereby submits this letter, Statement of Compliance and updated Audit Table to fulfil the requirement for a Compliance Assessment Report.

A review was undertaken of the Compliance Assessment Plan as required under MS930:M4-1 and no changes are recommended.

Please do not hesitate to contact me ([08] 9423 0248; pdavidson@apijv.com.au) should you require any further information.

Yours sincerely,

Phillip Davidson Manager – Environment, Health and Safety **API Management Pty Limited**

CC: Rob Beeck

General Manager - APIM Richard Galloway Senior Environmental Officer - APIM

Attachments:

- (1) Statement of Compliance
- (2) Completed Audit Table for MS930

2

Statement of Compliance

1. Proposal and Proponent Details

Proposal Title	Anketell Point Port Development, Antonymyre, Shire of Roebourne
Statement Number	930
Proponent Name	API Management Pty Ltd
Proponent's Australian Company Number (where relevant)	112 677 595

2. Statement of Compliance Details

Reporting Period	31/01/17 to 30/01/18	

Implementation p	hase	(s) during reporting	period (please tick v	(relevant phase(s))
Pre-construction	~	Construction	Operation	Decommissioning

Audit Table for Statement addressed in this Statement of Compliance is provided at Attachment:

An audit table for the Statement addressed in this Statement of Compliance must be provided as Attachment 2 to this Statement of Compliance. The audit table must be prepared and maintained in accordance with the Department of Water and Environmental Regulation (DWER) *Post Assessment Guideline for Preparing an Audit Table*, as amended from time to time. The 'Status Column' of the audit table must accurately describe the compliance status of each implementation condition and/or procedure for the reporting period of this Statement of Compliance. The terms that may be used by the proponent in the 'Status Column' of the audit table are limited to the Compliance Status Terms listed and defined in Table 1 of Attachment 1.

Were all implementation	conditions and/	or procedures	of the	Statement	complied	with
within the reporting period	? (please tick ✓	the appropriate	e box)			

No (please proceed to Section 3)	Yes (please proceed to Section 4)	~

Each page (including Attachment 2) must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:

3. Details of Non-compliance(s) and/or Potential Non-compliance(s)

The information required Section 3 must be provided for each non-compliance or potential non-compliance identified during the reporting period covered by this Statement of Compliance.

Non-compliance/potential non-compliance 3-1

Was the	implementation condition or procedure non-compliant of	or potentially non-compliant?
On what	date(s) did the non-compliance or potential non-compli	iance occur (if applicable)?
Was this DWER?	non-compliance or potential non-compliance reported	to the Chief Executive Officer,

What are the details of the non-compliance or potential non-compliance and where relevant, the extent of and impacts associated with the non-compliance or potential non-compliance?

What is the precise location where the non-compliance or potential non-compliance occurred (if applicable)? (please provide this information as a map or GIS co-ordinates)

What was the cause(s) of the non-compliance or potential non-compliance?

What remedial and/or corrective action(s), if any, were taken or are proposed to be taken in response to the non-compliance or potential non-compliance?

What measures, if any, were in place to prevent the non-compliance or potential non-compliance before it occurred? What, if any, amendments have been made to those measures to prevent re-occurrence?

Please provide information/documentation collected and recorded in relation to this implementation condition or procedure:

- · in the reporting period addressed in this Statement of Compliance; and
- as outlined in the approved Compliance Assessment Plan for the Statement addressed in this Statement of Compliance.

(the above information may be provided as an attachment to this Statement of Compliance)

For additional non-compliance or potential non-compliance, please duplicate this page as required.

Each page (including Attachment 2) must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:

4. Proponent Declaration

I, Phillip Davidson, Manager - Environment, Health and Safety, declare that I am authorised on behalf of Rob Beeck – General Manager *API Management Pty Ltd (being the person responsible for the proposal)* to submit this form and that the information contained in this form is true and not misleading.

1.8. 1/m

Date: 30 April 2018

Please note that:

Signature:

- it is an offence under section 112 of the Environmental Protection Act 1986 for a person to give or cause to be given information that to his knowledge is false or misleading in a material particular; and
- the Chief Executive Officer of the DWER has powers under section 47(2) of the Environmental Protection Act 1986 to require reports and information about implementation of the proposal to which the statement relates and compliance with the implementation conditions.

5. Submission of Statement of Compliance

One hard copy and one electronic copy (preferably PDF on CD or thumb drive) of the Statement of Compliance are required to be submitted to the Chief Executive Officer, DWER, marked to the attention of Manager, Compliance (Ministerial Statements).

Please note, the DWER has adopted a procedure of providing written acknowledgment of receipt of all Statements of Compliance submitted by the proponent, however, the DWER does not approve Statements of Compliance.

6. Contact Information

Queries regarding Statements of Compliance, or other issues of compliance relevant to a Statement may be directed to Compliance (Ministerial Statements), DWER:

Manager, Compliance (Ministerial Statements)

Department of Water and Environmental Regulation

Postal Address:	Locked Bag 10 EAST PERTH WA 6892
Phone:	(08) 6364 700
Email:	compliance@dwer.wa.gov.au

7. Post Assessment Guidelines and Forms

Post assessment documents can be found at www.epa.wa.gov.au

Each page (including Attachment 2) must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:

ATTACHMENT 1

Table 1	Compliance Status Terms	
---------	--------------------------------	--

Compliance Status Terms	Abbrev	Definition	Notes
Compliant	С	Implementation of the proposal has been carried out in accordance with the requirements of the audit element.	 This term applies to audit elements with: ongoing requirements that have been met during the reporting period; and requirements with a finite period of application that have been met during the reporting period, but whose status has not yet been classified as 'completed'.
Completed	CLD	A requirement with a finite period of application has been satisfactorily completed.	 This term may only be used where: audit elements have a finite period of application (e.g. construction activities, development of a document); the action has been satisfactorily completed; and the DWER has provided written acceptance of 'completed' status for the audit element.
Not required at this stage	NR	The requirements of the audit element were not triggered during the reporting period.	This should be consistent with the 'Phase' column of the audit table.
Potentially Non-compliant	PNC	Possible or likely failure to meet the requirements of the audit element.	This term may apply where during the reporting period the proponent has identified a potential non-compliance and has not yet finalized its investigations to determine whether non-compliance has occurred.
Non-compliant	NC	Implementation of the proposal has not been carried out in accordance with the requirements of the audit element.	This term applies where the requirements of the audit element are not "complete" have not been met during the reporting period.
In Process	IP	Where an audit element requires a management or monitoring plan be submitted to the DWER or another government agency for approval, that submission has been made and no further information or changes have been requested by the DWER or the other government agency and assessment by the DWER or other government agency for approval is still pending.	The term 'In Process' may not be used for any purpose other than that stated in the Definition Column. The term 'In Process' may not be used to describe the compliance status of an implementation condition and/or procedure that requires implementation throughout the life of the project (e.g. implementation of a management plan).



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Note:

- Phases that apply in this table = Pre-Construction, Construction, Operation, Decommissioning, Overall (several phases). .
- This audit table is a summary of the requirements applying to this proposal. Refer to the Statement issued for the proposal under Part IV of the EP Act for details/precise wording of audit elements. .
- Code prefixes: M = Minister's condition, P = Proponent's commitment, N = Procedure. ٠
- Abbreviations: CAR = Compliance Assessment Report; CEO = Chief Executive Officer of EPA Services; Minister for the Environment; EPA Services = Department of Water and Environmental Protection, Environmental Protection Authority Services; ٠ APIM = API Management Pty Ltd.
- Compliance Status: C = Compliant, CLD = Completed, NC = Non compliant, NR = Not Required at this stage. Please note the terms NA = Not Audited and VR = Verification Required are only for EPA Services use. IP = In Process may only be used by the proponent . in circumstances outlined in Section 2.8 of the Post Assessment Guideline for Preparing an Audit Table.

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
930:M1.1	Proposal Implementation	The proponent shall implement the proposal as documented and described in Schedule 1 of this Statement subject to the conditions and procedures of this Statement.	Summary of status and compliance provided in Project Status section of the annual Compliance Assessment Report	Annual Compliance Assessment Report	Overall	Ongoing.	NR	
930:M2.1	Contact Details	The proponent shall notify the CEO of any change of its name, physical address or postal address for the serving of notices or other correspondence within 28 days of such change. Where the proponent is a corporation or an association of persons, whether incorporated or not, the postal address is that of the principal place of business or of the principal office in the State.	Written correspondence with the EPA Services advising of change of proponent details	Letter to CEO notifying of change of contact name and address	Overall	Within 28 days of such a change.	C	APIM letter (API- LET- 003222; 25 May 2017) to EPA Services.
930:M3.1	Time Limit of Authorisation	The authorisation to implement the proposal provided for in this Statement shall lapse and be void five years after the date of this Statement if the proposal to which this Statement relates is not substantially commenced.	Substantially commence implementation prior to lapse of authorisation	Written correspondence to the EPA Services providing evidence that project has substantially commenced	Overall	By 30 January 2018.	NR	APIM Letter (API- LET-003304) to EPA Services requesting change of time limit of authorisation under s46 of EP Act. EPA Services assessment of application not commenced as at 30 April 2018.
930:M3.2	Time Limit of Authorisation	The proponent shall provide the CEO with written evidence which demonstrates that the proposal has substantially commenced on or before the expiration of five years from the date of this Statement.	Written correspondence with the EPA Services providing evidence that project has substantially commenced.	Photographs Project status reports	Overall	By 30 January 2018.	NR	
930:M4.1	Compliance Reporting	The proponent shall prepare and maintain a compliance assessment plan to the satisfaction of the CEO.	Correspondence with the EPA Services and submission of Compliance Assessment Plan, retention of records	Approved Compliance Assessment Plan	Overall	Ongoing.	C	
930:M4.2	Compliance Reporting	The proponent shall submit to the CEO the compliance assessment plan required by condition 4-1 at least six months prior to the first compliance report required by condition 4-6, or prior to implementation, whichever is sooner. The compliance assessment plan shall indicate:	Submission of Compliance Assessment Plan to EPA Services.	Correspondence Assessment Plan	Overall	By 30 October 2013, or prior to implementation, or whichever is sooner.	CLD	Compliance Assessment Plan submitted to EPA Services 25/6/2013.



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 The frequency of compliance reporting: the approach and timing of compliance assessments; the retention of compliance assessments; the method of reporting of potential non-compliances and corrective actions taken; the table of contents of compliance assessment reports; and public availability of compliance assessment reports. 						Approved 7 July 2013.
930:M4.3	Compliance Reporting	The proponent shall assess compliance with conditions in accordance with the compliance assessment plan required by condition 4-1.	Annual Compliance Report including completed audit table and corresponding evidence of compliance with conditions.	Compliance Assessment Report (CAR)	Overall	Ongoing.	с с с с	First Compliance Assessment Report submitted 24/4/2014; 2 nd CAR and audit table submitted 23 April 2015; 3 rd audit table and CAR submitted 28 April 2016; 4 th CAR and Audit table 16 June 2017. 5 th CAR, SoC. Audit Table submitted 30 April 2018.
930:M4.4	Compliance Reporting	The proponent shall retain reports of all compliance assessments described in the compliance assessment plan required by condition 4-1 and shall make those reports available when requested by the CEO.	Retention of records, including compliance assessment reports and third-party reports or other documentation providing evidence of compliance, within suitable document management system.	Provision of reports on request.	Overall	Within 7 days of such a request. Ongoing.	С	No requests received in the reporting year.
930:M4.5	Compliance Reporting	The proponent shall advise the CEO of any potential non- compliance within seven days of that non-compliance being known.	 Correspondence with the EPA Services. 7 Day Potential Non- Compliance Report Template. 	Correspondence register	Overall	Within 7 days of any potential non- compliance being known. Ongoing	NR	
930:M4.6	Compliance Reporting	The proponent shall submit to the CEO the first compliance assessment report fifteen months from the date agreed with the Office of the EPA in the Compliance Assessment Plan required under condition 4-2 addressing the twelve-month period from the date of issue of this Statement and then annually from the date of submission of the first compliance assessment report. The compliance assessment report shall:	Prepare Compliance Assessment Report in accordance with approved Compliance Assessment Plan and submit to the CEO	Compliance Assessment Report	Overall	The first Compliance Assessment Report was submitted 24 April 2014. CARs will be submitted annually thereafter. Ongoing	C C C	First Compliance Assessment Report (CAR) submitted 24/4/2014; 2 nd CAR submitted 23 April 2015; 3 rd CAR submitted 28 April 2016.



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 be endorsed by the proponent's Chief Executive Officer or a person delegated to sign on the Chief Executive Officer's behalf; include a statement as to whether the proponent has complied with the conditions; identify all potential non-compliances and describe corrective and preventative actions taken; be made publicly available in accordance with the approved compliance assessment plan; and indicate any proposed changes to the compliance assessment plan required by condition 4-1. 					NC C	4 th CAR and Audit table 16 June 2017 – submitted late. 5 th CAR, SoC. Audit Table submitted 30 April 2018. No proposed changes to the CAP.
930:M5.1	Public Availability of Data	Subject to condition 5-2, within a reasonable time period approved by the CEO of the issue of this Statement and for the remainder of the life of the proposal the proponent shall make publicly available, in a manner approved by the CEO, all validated environmental data (including sampling design, sampling methodologies, empirical data and derived information products (e.g. maps)) relevant to the assessment of this proposal and implementation of this Statement.	Reports, maps and validated datasets relevant to assessment of proposal made available on request.	Correspondence register Data/document transmittal	Overall	Within 7 working days or as approved by CEO. Ongoing	C	
930:M5.2	Public Availability of Data	 If any data referred to in condition 5-1 contains particulars of: 1. a secret formula or process; or 2. confidential commercially sensitive information, the proponent may submit a request for approval from the CEO to not make this data publicly available. In making such a request the proponent shall provide the CEO with an explanation and reasons why the data should not be made publicly available. 	Submit request to CEO stating explanation and reasons why data should not be made publicly available	Correspondence register	Overall	Ongoing.	NR	
930:M6.1	Final Marine Infrastructure Plan	Prior to the construction of the marine infrastructure listed in Schedule 1 for this proposal, unless otherwise approved by the CEO, the proponent must prepare a final Marine Infrastructure Plan which is to be approved by the CEO, on advice of the Dampier Port Authority and Department of State Development, which details the marine infrastructure.	Submit to CEO Plan and spatial data locating the marine infrastructure in GIS compatible format specified by the CEO and to the requirements of the CEO	Final Marine Infrastructure Plan	Pre- construction	Prior to the construction of the marine infrastructure listed in Schedule 1.	NR	A draft West Pilbara Infrastructure Project Proposed Port Plan was submitted 4 November 2015 and comments received 30 March 2016.
930:M6.2	Final Marine Infrastructure Plan	The proponent shall provide the CEO with the approved Marine Infrastructure Plan described in condition 6-1 and spatial data locating the marine infrastructure in a Geographical Information System (GIS) compatible format specified by the CEO.	Submit to CEO approved Plan and spatial data locating the marine infrastructure in GIS compatible format specified by the CEO	Final Marine Infrastructure Plan Data transmittal	Pre- construction	Prior to the construction of the marine infrastructure listed in Schedule 1.	NR	
930:M6.3	Final Marine Infrastructure Plan	The proponent shall construct the marine infrastructure listed in Schedule 1 consistent with the approved Marine Infrastructure Plan.	Construct infrastructure consistent with approved Plan	Annual Compliance Reports including top down aerial / satellite photograph showing layout of infrastructure	Construction	During construction phase.	NR	
930:M7.1	Fauna Management	 The proponent shall not clear or disturb: 1. the ground or any vegetation beyond the proposal envelope depicted in Figure 2 and defined in Table 2 of Schedule 1; 	Implement APIM ground disturbance permit process (Environmental	Annual Compliance Reports including top down aerial / satellite photograph showing	Overall	Ongoing.	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 more than a total combined area of 9.1 hectares of vegetation from those portions of the proposal envelope that extends over potential habitat for the threatened (specially protected) fauna species <i>Lerista nevinae</i>, as depicted in Figure 3 and defined in Table 2 of Schedule 1. 	 Operating Procedure 13) to ensure: No clearing beyond proposal envelope; Clearing of no more than 9.1 hectares of potential <i>Lerista</i> habitat. 	extent of clearing/disturbance				
930:M7.2	Fauna Management	The proponent shall not clear potential <i>Lerista nevinae</i> habitat as depicted in Figure 3 and defined in Table 2 of Schedule 1 for any purpose other than activities directly associated with the construction of essential port infrastructure.	APIM ground disturbance permit process (Environmental Operating Procedure 13).	Annual Compliance Reports including information relating to the purpose of any clearing within potential <i>Lerista</i> <i>nevinae</i> habitat	Overall	Ongoing.	NR	
930:M7.3	Fauna Management	 The proponent shall submit a ground disturbance report to the CEO, as part of the compliance reporting required by condition 4-6, to demonstrate ongoing compliance status with conditions 7-1(2) and 7-2 above. The report shall include: a clear, top down (not oblique) aerial or satellite image captured at the end of each compliance period for those areas of potential <i>Lerista nevinae</i> habitat within the proposal envelope depicted in Figure 3 and defined in Table 2 of Schedule 1; a spatial analysis that provides the actual total combined area of potential <i>Lerista nevinae</i> habitat disturbance. 		Ground disturbance report	Overall	By 30 April 2014 and annually thereafter (following any ground disturbance under MS930). Ongoing	NR	Lerista nevinae, re- scheduled under Wildlife Conservation (Specially Protected Fauna) Notice 2017 (16 January 2018) as Schedule 2 - Division 3 – Endangered Reptiles. EPBC Act 1999 amendment to Threatened Species List with Lerista nevinae raised to Endangered (15 February 2018). Research paper Gaikhorst, G. (2015). Ecology and Distribution of the Slider Skink, Lerista nevinae; Journal of the Royal Society of Western Australia, 98: 131–136, 2015. Includes further mapped distribution.
930:M7.4	Fauna Management	 The proponent shall, for the whole duration of the project, actively manage potential <i>Lerista nevinae</i> habitat as depicted in Figure 3 and defined in Table 2, to ensure that its habitat value is maintained or enhanced to the requirements of the CEO in consultation with the Department of Environment and Conservation (DEC). Active management shall include: feral animal control; the prohibition of stock; weed control; limited and controlled vehicle and pedestrian access including fencing and sign posting; and 	 Implement vegetation health surveys and feral animal monitoring and control in accordance with approved Coastal Habitat Management Plan. Control and minimise vehicular and pedestrian traffic within potential <i>Lerista</i> <i>nevinae</i> habitat 	Feral animal monitoring report (feral animal control) Vegetation monitoring report (weed control) Summary of management measures implemented (including fencing and signage) and provision of training records and equipment inventory within Annual	Overall	Ongoing.	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		5. provision of equipment and appropriate training of personnel to enable rapid response in the event of wild fires.	 Implement weed control measures (APIM Environmental Operating Procedure 17). Implement management actions as appropriate to prevent stock entry into potential <i>Lerista</i> <i>nevinae</i> habitat. Maintain appropriate fire control equipment at Anketell Point and ensure sufficient site personnel trained in its use. 	Compliance Reports (limitation of access, wild fire response)		
930:M8.1	Construction of Marine Infrastructure	The proponent shall conduct dredging and dredge spoil disposal activities as described in Schedule 1, to achieve the following environmental protection outcomes: i. no irreversible loss of, or serious damage to, benthic habitats outside of the Zone of High Impact shown in Figures 4 and 5 and defined in Table 3 of Schedule 1; ii. protection of at least 70% of baseline live coral cover on each designated coral habitat within the Zone of Moderate Impact shown in Figures 4 and 5 of Schedule 1; and iii. no detectible net negative change to benthic habitats relative to the baseline state of those habitats, outside of the Zones of High and Moderate Impact, shown in Figures 4 and 5 and defined in Tables 3 and 4 of Schedule 1, unless and until, at a specified site(s) outside the Zones of Moderate Impact or specified designated coral habitats in the Zones of Moderate Impact, a revised environmental protection outcome has been approved by the Minister in accordance with condition 8-10 to have effect for that specified site(s) or specified designated coral habitats in which case the approved revised environmental protection outcome for the specified site(s) or designated coral habitats shall be achieved during dredging and dredge spoil disposal activities. 	Implement monitoring and management actions in accordance with approved Dredge Environmental Management Plan (DEMP) following exceedance of the nominated water quality or coral health trigger values.	Six weekly progress reports Suspected Non- achievement of EPOs Reports Correspondence register	Construction	Durir dredg activi
930:M8.2	Construction of Marine Infrastructure	At least six months prior to the commencement of dredging of the berth pockets, swing basin and shipping channel as described in Schedule 1, unless otherwise approved by the CEO, the proponent shall revise the Dredge Environmental Management Plan (Rev 1, November 2010) (DEMP) in consultation with the DEC that meets the objectives set out in condition 8-3 to be approved by the CEO.	Submission of revised DEMP to CEO, including summary of consultation	Correspondence register	Pre- construction	At lea prior comm dredg pocke and s unles appro

meframe	Status	Further Information	
rring dredging and edge spoil disposal tivities. Ongoing	NR		
least six months or to the mmencement of edging of the berth ckets, swing basin d shipping channel, less otherwise proved by the CEO.	NR		



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
930:M8.3	Construction of Marine Infrastructure	 The objectives of the Dredge Environmental Management Plan are to ensure that dredging associated with the construction of the marine infrastructure is managed: to achieve the environmental protection outcomes set in condition 8-1; and with the aim of meeting the management targets, shown in Figures 4 and 5 of Schedule 1, and reducing adverse impacts on marine benthic habitats, as far as practicable, with a particular focus on the designated coral habitats identified in Figure 4 and 5 of Schedule 1. 		Approved DEMP	Overall	Ong
930:M8.4	Construction of Marine Infrastructure	 The Dredge Environmental Management Plan shall include: descriptions of impact and reference monitoring sites, including key physical attributes, geographic locations and measures of the baseline condition of benthic communities to be monitored; descriptions of the environmental indicators to be monitored and the environmental protection outcomes set in condition 8-1 and the management objectives in condition 8-3, descriptions of the program for field validation/calibration and review of model predictions. the monitoring and data evaluation procedures to be applied so as to assess achievement of the environmental protection outcomes set in condition 8-3; the monitoring methodologies to be applied to: measure relevant physical indicators (e.g. water currents, water quality conditions including turbidity, photosynthetic radiation near the seabed and light attenuation coefficient, and sediment production and deposition rates) at sites and at a frequency to allow adaptive dredge management; and measure relevant biological indicators with intervals between monitoring occasions at a frequency that informs adaptive environmental management (e.g. measures of live coral cover/coral montality); define the metocean and other relevant conditions (e.g. turbidity) that determine when it is unsafe to undertake field monitoring and the contingencies that will be implemented if monitoring and the contingencies that will be implemented if monitoring and the contingencies that will be implemented if monitoring and the contingencies that will be implemented if monitoring and the contingencies that will be implemented if monitoring and the contingencies that will be implemented if monitoring and the contingencies that will be implemented if monitoring cannot be undertaken; 	Preparation of DEMP in accordance with Condition 8.4	Approved DEMP	Overall	Ong

meframe	Status	Further Information
ngoing	NR	
ngoing.	NR	

Each page must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:



GOVERNMENT OF WESTERN AUSTRALIA

ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 viii. evidence demonstrating that the monitoring required to assess achievement of environmental protection outcomes set in condition 8-1 is based on tests using appropriate effect size(s) and has statistical power values of at least 0.8 (or alternative value(s) as approved by the CEO); ix. management actions that will be implemented in the event that the management triggers values for each tier set in condition 8-4(vii) are not met; x. methods and procedures that will be implemented to regularly characterise, spatially-define and report the observed plume caused by the dredging of the marine infrastructure and disposal of dredge spoil; xi. procedures for coral reproductive status monitoring to assist with predicting the timing and duration of significant mass coral spawning events; xii. the following, with respect to dredge spoil placement sites in State waters: a. management actions to be undertaken during dredge spoil placement al impact of those activities and any material incremental losses of dredge spoil placement at sites in State waters; b. monitoring including an outline of the timing of such monitoring events, to be undertaken of retention, stability and fate of dredge spoil placed at dredge spoil placement at sites in State waters; b. monitoring events, to be undertaken of retention, stability and fate of dredge spoil placed at dredge spoil placement at sites in State waters to verify the efficacy of the measures referred to in condition 8-4(xii)(a); and c. contingency measures to be implemented should monitoring required by condition 8-4(xii)(b) indicate management actions referred to in acondition 8-4(xii)(a) are not effective; and xiii. requirements for timely reporting of monitoring data, management responses and contingency measures. 						
930:M8.5	Construction of Marine Infrastructure	The proponent shall provide relevant stakeholders with a draft copy of the Dredge Environmental Management Plan required under conditions 8-2, and provide those stakeholders a reasonable opportunity to comment on the plan before it is submitted to the CEO for approval under condition 8-2.	Provision of draft DEMP to relevant stakeholders for review prior to submission to the CEO for approval.	Correspondence register Approved DEMP.	Pre- construction	A reasonable time to allow stakeholder comments prior to submission of the DEMP to the CEO under condition 8-2.	С	Draft DEMP provided to the Pilbara Ports Authority, Department of Transport Point Samson Community Association and Wickham Community Association for review August –

Each page must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
930:M8.6	Construction of Marine Infrastructure	The proponent shall implement the approved Dredge Environmental Management Plan required under conditions 8-2 prior to the commencement of any dredging and make that plan publicly available in a manner approved by the CEO.	Implement monitoring programmes prior to commencement of dredging DEMP uploaded to website, or otherwise published in accordance with CEO approval.	Monitoring reports Screenshot of website	Overall	Imple appri- to co any c make publi within recei
930:M8.7	Construction of Marine Infrastructure	 In the event that monitoring carried out under the approved Dredge Environmental Management Plan determines that any of the environmental protection outcomes set in conditions 8-1 (or any approved revised environmental protection outcome) are not being achieved during dredging and dredge spoil disposal activities described in Schedule 1, the proponent shall: i. immediately suspend all turbidity-generating activities associated with the construction of the marine facilities that may be contributing to the non-achievement; ii. within 24 hours of that suspension, report the non-achievement to the CEO and that it has suspended the relevant turbidity-generating activities; and iii. within 48 hours of that suspension, report to the CEO: a. the results of the monitoring that led to that suspension; b. the findings of investigations into the causes of the non-achievement of the environmental protection outcomes set in condition 8-1; c. the turbidity-generating activities and metocean conditions which occurred in the monitoring period leading up to the non-achievement of environmental protection outcome), and until the suspension of the turbidity-generating activities; and until the suspension of the turbidity-generating activities; and until the suspension of the most recent water quality and sediment deposition monitoring. 	Protocol for shut-down of construction activities Dredging EPO Non- achievement Report Template Dredging EPO Non- achievement Monitoring Report Template	Correspondence register Monitoring reports	Overall	do so Upon non-a imme turbic activi contr achie Withi suspe to the Vithi suspe to the listed 8-7(ii)
930:M8.8	Construction of Marine Infrastructure	 If, after suspending any turbidity-generating activities under condition 8-7, in the report required by condition 8-7(iii), the proponent: determines that environmental protection outcomes set in conditions 8-1 (or any approved revised environmental protection outcome) are being achieved; or 	Correspondence with the EPA Recommence dredging as approved by CEO	Correspondence register	Construction	After CEO

Status	Further Information
	October 2014) Responses considered in DEMF review.
NR	
NR	
NR	
	NR

Each page must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 ii. provides strong evidence that a particular turbidity-generating activity did not cause the non-achievement, and the CEO concurs with the findings of the proponent's report, then the proponent may recommence turbidity-generating activities which are part of: iii. dredging and dredge spoil disposal activities if condition 8-8(i) applies; or iv. whichever particular dredging and dredge spoil disposal activities that are determined not to have caused the non-achievement if condition 8-8(ii) applies, consistent with relevant management plans. 				
930:M8.9	Construction of Marine Infrastructure	 If conditions 8-8(i) and (ii) do not apply, and the proponent wishes to recommence the turbidity-generating activities which are suspended under condition 8-7, the proponent: shall submit to the Minister a report detailing the following: the results of the most recent environmental monitoring for all monitoring and reference sites, including identifying where an environmental protection outcome (or any approved revised environmental protection outcome) is not being achieved, and those sites where there is strong evidence that non-achievement of an environmental protection outcome) is reasonably expected to be recorded as part of the same event; the turbidity-generating activities which were being undertaken in the monitoring period prior to the environmental protection outcome) not being achieved and until the time of suspension; the metocean conditions as monitored in the most recent monitoring period prior to the environmental protection outcome) not being achieved and until the time of suspension; the results of the most recent water quality and sediment deposition monitoring; proposed revised environmental protection outcome(s) for the site(s) outside the Zones of Moderate Impact where an environmental protection outcome (or an approved revised environmental protection outcome) is not being achieved, and those sites where there is strong evidence that contravention of an environmental 	Submission of report to the Minister	Correspondence register	Construction	Prior turbie activ

meframe	Status	Further Information	
ior to recommencing bidity generating tivities	NR		



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 protection outcome (or an approved revised environmental protection outcome) is expected to be recorded as part of the same event, and or for the designated coral habitat(s) or site(s) inside the Zones of Moderate Impact where an environmental protection outcome (or an approved revised environmental protection outcome) is not being achieved; and f. any other information considered relevant by the proponent in support of its proposal to recommence all turbidity-generating activities that remain suspended after implementing condition 8-8. ii. shall, if an environmental protection outcome (or any approved revised environmental protection outcome) is not being achieved inside a Zone of Moderate Impact, include in the report required by condition 8-9(i), additional management actions proposed to be implemented so that the recommencement of turbidity-generating activities which are part of dredging and dredge spoil disposal activities: a. will not contribute to non-achievement of a revised environmental protection outcome proposed by the proponent in condition 8-9(i)(e) for that zone where an environmental protection outcome has not been achieved, having regard to the matters provided for in conditions 8-1 (or any approved revised environmental protection outcome) is not being achieved outside the Zones of Moderate Impact. (In ticluding the Zone of High Impact), include in the report required by condition 8-9(i), additional management actions proposed to be implemented so that the recommencement of turbidity-generating activities: iii. shall, if an environmental protection outcome) is not being achieved outside the Zones of Moderate Impact (In to including the Zone of High Impact), include in the report required by condition 8-9(i), additional management actions proposed to be implemented so that the recommencement of turbidity-generating activities: iii. shall, if an environmental protection outcome) is not being achieved outside the Zones of Moderate Impact (Ino						

184



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 (or any approved revised environmental protection outcome) has not been achieved or there is strong evidence that non-achievement of an environmental protection outcome (or any approved revised environmental protection outcome) is expected as part of the same event; and c. will ensure the environmental protection outcomes set in conditions 8-1 (or any approved revised environmental protection outcome) continue to be achieved at all other sites and designated coral habitat(s). 						
930:M8.10	Construction of Marine Infrastructure	The Minister may, having regard to the report submitted by the proponent under condition 8-9 and on the advice of the CEO, approve revised environmental protection outcome(s) to have effect for the purpose of condition 8-1 in which case the proponent may then recommence turbidity-generating activities which are part of dredging and dredge spoil disposal activities subject to the approved revised environmental protection outcome(s). The Minister may also, having regard to the report submitted by the proponent under condition 8-9, require the proponent to implement the additional management actions proposed in conditions 8-9(ii) and (iii) above, or other additional practicable management actions, as part of the approved Dredge Environmental Management Plan (condition 8-2).	Implementation of revised EOPs or management actions as appropriate	Revised DEMP Correspondence register	Construction	Prior to recommencing turbidity generating activities	NR	
930:M8.11	Construction of Marine Infrastructure	The proponent shall not conduct dredging and dredge spoil disposal activities during the period 3 days prior to the predicted commencement of mass coral spawning, or as soon as mass coral spawning is detected if prior to the predicted time, and those dredging activities are to remain suspended for 7 days from the commencement of mass coral spawning unless it supplies peer-reviewed scientific evidence that if those dredging activities were to continue during coral mass spawning events, any effect, if it were to occur, would not significantly impact the functional ecology of local and regional reefs and the CEO provides a written exemption of those dredging activities from the requirement to cease over the period specified or alters the period that dredging activities must cease.	Implement dredging shut-down or obtain written exemption from the CEO	Dredge log Monitoring report(s) Correspondence register	Construction	3 days prior to the predicted commencement of mass coral spawning, or immediately if mass coral spawning is detected, and 7 days from the commencement of mass coral spawning. Unless proponent acquires written exemption from CEO to cease or alter this period.	NR	
930:M8.12	Construction of Marine Infrastructure	The proponent shall undertake turbidity-generating activities which are part of the maintenance of the marine infrastructure listed in Schedule 1 to ensure that each of the environmental protection outcomes set in condition 8-1 (including any approved revised environmental protection outcomes) are achieved.	Monitoring of coral health to ensure achievement of appropriate EPOs. Implementation of management actions as required.	Monitoring reports Suspected Non- achievement of EPOs Reports Correspondence register	Construction	Ongoing.	NR	

111



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
930:M8.13	Construction of Marine Infrastructure	If under condition 8-10 any revised environmental protection outcomes for conditions 8-1 are approved, and/or additional management actions are required to be implemented, those approved revised environmental protection outcomes and additional management actions required by the Minister under condition 8-10 shall have effect as if they were part of the approved Dredge Environmental Management Plan.	Implementation of revised EPOs or management actions as appropriate	Revised DEMP Correspondence register	Construction	Ongoing.	NR	
930:M8.14	Construction of Marine Infrastructure	 The proponent shall ensure the construction of the jetty causeway, boat harbours and associated terrestrial infrastructure as described in Schedule 1 achieves the following environmental protection outcomes: i. no irreversible loss of, or serious damage to benthic habitats outside of the Zone of High Impact shown in Figures 4 and 5 and defined in Table 3 of Schedule 1; ii. protection of at least 70% of baseline live coral cover on each designated coral habitat within the Zone of Moderate Impact shown in Figures 4 and 5 of Schedule 1; and iii. no detectible net negative change to benthic habitats relative to the baseline state of those habitats outside of the Zones of High and Moderate Impact, shown in Figures 4 and 5 and defined in Table 4 of Schedule 1, unless and until, at a specified site(s) outside the Zones of Moderate Impact or specified designated coral habitat in the Zones of Moderate Impact, a revised environmental protection outcome has been approved by the Minister in accordance with condition 8-23 to have effect for that specified site(s) or specified site(s) or designated coral habitat, in which case the approved revised environmental protection outcome for the specified site(s) or designated coral habitat shall be achieved in the construction of the nearshore and offshore marine facilities. 	Implement monitoring and management actions in accordance with approved Port Marine Infrastructure Construction Monitoring and Management Plan (PMICMMP) following exceedance of the nominated monitoring triggers.	Correspondence register Monitoring reports	Construction	Ongoing.	NR	
930:M8.15	Construction of Marine Infrastructure	At least 6 months prior to the commencement of construction of the first stage of the jetty causeway, unless otherwise approved by the CEO, the proponent shall prepare a Port Marine Infrastructure Construction Monitoring and Management Plan (PMICMMP) that meets the objectives set out in condition 8-16 to be approved by the CEO.	Submission of PMICMMP to CEO, including summary of consultation	PMICMMP Correspondence register	Pre- construction	At least 6 months prior to the commencement of construction of the first stage of the jetty causeway.	NR	PMICMMP, and summary of consultation, submitted to the CEO EPA Services 20 January 2015; EPA Services responded 8 May 2015 (ref: 2015- 0001038049; AC05- 2015-004); APIM advice to EPA Services to suspend review 12 June 2015.
930:M8.16	Construction of Marine Infrastructure	The objectives of the Port Marine Infrastructure Construction Monitoring and Management Plan are to ensure that construction of	Preparation of PMICMMP in	Approved PMICMMP	Overall	Ongoing	NR	Contra Contra Contra Loridi.



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

GOVERNMENT OF WESTERN AUSTRALIA

Audit Code	Subject	Requirement	How	Evidence	Phase	Tin
		 the jetty causeway, boat harbours and associated terrestrial infrastructure achieve the environmental protection outcomes set in condition 8-14; and minimising impacts of the construction of the rock causeway on coral and mangrove communities and fauna habitats around Anketell Point, Dixon Island and Bouguer Passage and No Name Bay; maintaining the natural tidal regime in Bouguer Passage. 	accordance with Condition 8.16			
930:M8.17	Construction of Marine Infrastructure	 The Port Marine Infrastructure Construction Monitoring and Management Plan shall include: descriptions of impact and reference monitoring sites, including key physical attributes, geographic locations and measures of the baseline condition of benthic communities to be monitored; descriptions of the environmental indicators to be monitored and the environmental criteria for evaluating the achievement of the environmental protection outcomes set in condition 8-14 and the management objectives in condition 8-16; the monitoring and data evaluation procedures to be applied so as to assess achievement of the environmental protection astrona schere environmental protection at the monitoring methodologies to be applied to: measure relevant physical and chemical indicators (e.g. water currents, water quality conditions including turbidity, photosynthetically active radiation near the seabed and light attenuation coefficient, sediment production and deposition rates and contaminant concentrations) at sites and at a frequency to allow adaptive management during construction of the jetty causeway, boat harbours and associated terrestrial infrastructure; and measure relevant biological indicators (e.g. measures of live coral cover/coral mortality) with intervals between monitoring occasions at a frequency that informs adaptive environmental management of the jetty causeway, boat harbours and associated terrestrial infrastructure; v. define the metocean and other relevant conditions (e.g. turbidity) that determine when it is unsafe to undertaken; vi. a risk-based tiered approach that uses trigger values for relevant physical, chemical or biological indicators 	Preparation of PMICMMP in accordance with Condition 8.17	Approved PMICMMP	Pre- construction	At le to the of c first cau

meframe	Status	Further Information
least 6 months prior the commencement construction of the at stage of the jetty useway.	NR	

151



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		for managing the environmental impacts of construction activities to meet the objectives of the environmental protection outcomes of condition 8-14; vii. vii. evidence demonstrating that the monitoring required to assess achievement of environmental protection outcomes set in condition 8-14 is based on tests using appropriate effect size(s) and has statistical power values of at least 0.8 (or alternative value(s) as approved by the CEO); viii. management actions that will be implemented in the event that the management triggers values for each tier set in condition 8-17(vi) are not met; and ix. requirements for timely reporting of monitoring data, management responses and contingency measures.						
930:M8.18	Construction of Marine Infrastructure	The proponent shall provide relevant stakeholders with a draft copy of the Port Marine Infrastructure Construction Monitoring and Management Plan required under conditions 8-15, and provide those stakeholders a reasonable opportunity to comment on the plan before it is submitted to the CEO for approval under condition 8-15.	Provision of draft PMICMMP to relevant stakeholders (to be agreed with CEO) for review prior to submission to the CEO	Approved PMICMMP Correspondence register	Pre- construction	With reasonable opportunity for stakeholder comments, prior to submission of the Port Marine Infrastructure Construction Monitoring and Management Plan to the CEO.	CLD	Draft PMICMMP provided to the Pilbara Ports Authority, Point Samson Community Association and Wickham Community Association for review August – October 2014) Responses considered in PMICMMP review. Summary of consultation submitted to the CEO alongside PMICMMP on 20 January 2015.
930:M8.19	Construction of Marine Infrastructure	The proponent shall implement the approved Port Marine Infrastructure Construction Monitoring and Management Plan required under condition 8-15 prior to construction commencing and make that plan publicly available in a manner approved by the CEO.	Implement monitoring programmes prior to commencement of marine construction. Approved PMICMMP uploaded to website, or otherwise published in accordance with CEO approval.	Correspondence register Screenshot of website Monitoring reports (available on request).	Pre- construction	Implement the PMICMMP prior to construction commencing. Make the PMICMMP publically available within 7 days of being requested to do so.	NR	
930:M8.20	Construction of Marine Infrastructure	In the event that monitoring carried out under the approved Port Marine Infrastructure Construction Monitoring and Management Plan determines that any of the environmental protection outcomes set in conditions 8-14 (or any approved revised environmental	Protocol for shut-down of construction activities	Correspondence register	Construction	Immediately suspend all construction activities contributing	NR	



GOVERNMENT OF WESTERN AUSTRALIA

ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 protection outcome) are not being achieved by construction of the jetty causeway, boat harbours and associated terrestrial infrastructure, the proponent shall: i. immediately suspend all construction activities that may be contributing to the non-achievement; ii. within 24 hours of that suspension, report the non-achievement to the CEO and that it has suspended all the relevant construction activities; and iii. within 48 hours of that suspension, report to the CEO: a. the results of the monitoring that led to that suspension; b. the findings of investigations into the causes of the non-achievement of the environmental protection outcomes set in condition 8-14; c. the construction activities and metocean and other relevant conditions occurring at the time of the non-achievement of environmental protection outcomes set in condition 8-14 (or any approved revised environmental protection outcome); and d. the results of the most recent water, sediment and biological monitoring that is relevant to the environmental protection outcome that was not achieved. 	Causeway Construction EPO Non-achievement Report Template Causeway Construction EPO Non-achievement Monitoring Report Template.			to th achi With susy non- the hour repo deta cond
930:M8.21	Construction of Marine Infrastructure	 If, after suspending any turbidity-generating activities under condition 8-20, in the report required by condition 8-20(iii), the proponent: determines that environmental protection outcomes set in conditions 8-14 (or any approved revised environmental protection outcome) are being achieved; or provides strong evidence that a particular construction activity did not cause the non-achievement, and the CEO concurs with the findings of the proponent's report, then the proponent may recommence turbidity-generating activities which are part of: the construction of the jetty causeway, boat harbours or associated terrestrial infrastructure if condition 8-21(i) applies; or the particular construction activities that are determined not to have caused the non-achievement if condition 8-21(ii) applies, consistent with relevant management plans. 	Correspondence with the EPA Services. Recommence turbidity- generating activities as approved by CEO.	Correspondence register	Construction	Follo of gene unde on a
930:M8.22	Construction of Marine Infrastructure	If conditions 8-21(iii) and (iv) do not apply, and the proponent wishes to recommence the turbidity-generating activities which are suspended under condition 8-20, the proponent: i. shall submit to the Minister a report detailing the following: a. the results of the most recent environmental monitoring for all monitoring and reference sites, including identifying	Submission of report to the Minister.	Correspondence register	Construction	Follo of gene unde whe

meframe	Status	Further Information	
the non- hievement. ithin 24 hours of spension, report the n-achievement to e CEO. Within 48 urs of suspension port to the CEO on tails listed under ndition 8-20(iii).			
llowing suspension any turbidity- nerating activities der condition 8-20, approval from CEO.	NR		
llowing suspension any turbidity- nerating activities der condition 8-20 ere condition 8-21	NR		



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 where an environmental protection outcome (or any approved revised environmental protection outcome) is not being achieved, and those sites where there is strong evidence that non-achievement of an environmental protection outcome) (or any approved revised environmental protection outcome) is reasonably expected to be recorded as part of the same event; b. the construction activities which were being undertaken in the monitoring period prior to the environmental protection outcome) not being achieved and until the time of suspension; c. the metocean and other relevant conditions as monitored in the most recent monitoring period prior to the environmental protection outcome (or an approved revised environmental protection outcome (or an approved revised environmental protection outcome) not being achieved and until the time of suspension; d. the results of the most recent water, sediment and biological monitoring relevant to the environmental protection outcome(s) for the site(s) outside the Zones of Moderate Impact where an environmental protection outcome (or an approved revised environmental protection outcome) is not being achieved, and those sites where there is strong evidence that contravention of an environmental protection outcome) is not being achieved, and/those sites where there is strong evidence trevised environmental protection outcome) is not being achieved, and/or for those sites where there is not where an environmental protection outcome) is not being achieved, and/or for those sites where there is not where an environmental protection outcome) is not being achieved, and/or for those sites where environmental protection outcome is not being achieved, and/or for those sites where environmental protection outcome is not being achieved, and/or for those sites where environmental protection outcome is not being achieved, and f. any other information considered relevant by the proponent in support of its proposal to recomde after implementing condition 8				(iii) and (iv) do not apply.		



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 the recommencement of construction activities which are part of the jetty causeway, boat harbours or associated terrestrial infrastructure: a. will not contribute to further non-achievement of environmental protection outcomes set in conditions 8-14 or any approved revised environmental protection outcome; or b. will not cause non-achievement of a revised environmental protection outcome proposed by the proponent in condition 8-22(i)(e) to apply at those sites where an environmental protection outcome (or any approved revised environmental protection outcome) has not been achieved or there is strong evidence that non-achievement of an environmental protection outcome) the protection outcome) is expected as part of the same event; and c. will ensure all environmental protection outcomes set in conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and conditions 8-14 (or any approved revised environmental protection outcome) and condition 8-14 (or any approved revised environmental protection outcome) and condition 8-14 (or any				
930:M8.23	Construction of Marine Infrastructure	The Minister may, having regard to the report submitted by the proponent under condition 8-22 and on the advice of the CEO, approve revised environmental protection outcome(s) to have effect for the purpose of condition 8-14 in which case the proponent may then recommence construction activities which are part of the jetty causeway, boat harbours and associated terrestrial infrastructure subject to the approved revised environmental protection outcome(s). The Minister may also, having regard to the report submitted by the proponent under condition 8-22, require the proponent to implement the additional management actions proposed in conditions 8-22(ii) above, or other additional practicable management actions, as part of the approved Port Marine Infrastructure Construction Monitoring and Management Plan (condition 8-15).	Implementation of revised EPOs or management actions as appropriate.	Revised PMICMMP Correspondence register	Construction	Follc of tu activ conc and follov from advid
930:M8.24	Construction of Marine Infrastructure	If under condition 8-23 any revised environmental protection outcomes for conditions 8-14 are approved, and/or additional management actions are required to be implemented, those approved revised environmental protection outcomes and additional management actions required by the Minister under condition 8-23 shall have effect as if they were part of the approved Port Marine Infrastructure Construction Monitoring and Management Plan.	Implementation of revised EPOs or management actions as appropriate.	Revised PMICMMP Monitoring reports Correspondence register.	Construction	Follc from advid
930:M9.1	Future Expansion of the Rock Causeway and	Following the initial rock causeway development, the results of monitoring and management measures required under conditions 8-17 shall be assessed and the potential environmental impacts of	Results of monitoring and management measures used to inform	Monitoring reports Impact assessment Design documents	Overall	Follo rock

meframe	Status	Further Information
llowing suspension turbidity-generating	NR	
tivities under ndition 8-20, where nditions 8-21 (iii) d (iv) do not apply, lowing approval m Minister on vice from the CEO.		
llowing approval m Minister on vice from the CEO.	NR	
llowing the initial k causeway and	NR	

Each page must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
	Materials Offloading Facility (MOF)	the fully completed rock causeway and MOF reviewed, with particular regard to the coral habitat at the north east end of Dixon Island and the hydrodynamic conditions and benthic habitats in Bouguer Passage and used to inform, the design and implementation of subsequent expansion stages of the causeway.	impact prediction and design and implementation of subsequent causeway stages			prior to expansion of the causeway		
930:M9.2	Future Expansion of the Rock Causeway and Materials Offloading Facility (MOF)	The proponent shall submit a report of the findings of condition 9-1 to the CEO with any proposed changes in the design and implementation of the subsequent expansion stages of the rock causeway and MOF necessary to ensure that the objectives of condition 8-16 are achieved.	Report findings of assessment required under Condition 9.2	Report to CEO	Overall	Upon completion of the initial rock causeway development and prior to the expansion of the causeway	NR	
930:M10,1	State of the Marine Environment Surveys	The proponent shall, within six months following the date of publication of this Statement, or prior to the commencement of any marine works that may impact the marine environment, whichever is sooner, prepare a draft Scope of State of the Marine Environment Surveys document in consultation with the DEC to the requirements of the CEO.	Prepare draft Scope of State of Marine Environment Surveys (SMES) document in consultation with DEC	Approved Scope of State of Marine Environment Surveys (SMES) document	Pre- construction	By 30 July 2013 or prior to the commencement of any marine works that may impact the marine environment, whichever is sooner.	CLD	SMES document, and summary of consultation, submitted to the CEO on 16 July 2013. SMES document approved by the CEO on 16 December 2013.
930:M10.2	State of the Marine Environment Surveys	 The draft Scope of State of the Marine Environment Surveys document shall be set out in parts that detail the specific survey requirements to establish: the pre-development Baseline State of the Marine Environment; the State of the Marine Environment at mid-term of marine works associated with the capital dredging program and construction of marine infrastructure; the first post-development State of the Marine Environment within three months following completion of marine works associated with the capital dredging program and construction of marine infrastructure; and construction of marine infrastructure; and construction of marine infrastructure; and 	Preparation of draft SMES document in accordance with Condition 10.2.	Approved SMES document	Pre- construction.	By 30 July 2013 or prior to the commencement of any marine works that may impact the marine environment, whichever is sooner.	CLD	SMES document approved by the CEO on 16 December 2013.
930:M10.3	State of the Marine Environment Surveys	 The draft Scope of State of the Marine Environment Surveys shall, having regard to requirements of condition 10-2, address but not necessarily be limited to: procedures and methods for the collection of quantitative environmental data for: water quality; hydrodynamic conditions including direction and velocity of water currents; the physical characteristics of native sediments and development-influenced sediments suspended in the water column and deposited on the benthos; 	Preparation of draft SMES document in accordance with Condition 10.3.	Approved SMES document.	Pre- construction.	By 30 July 2013 or prior to the commencement of any marine works that may impact the marine environment, whichever is sooner.	CLD	SMES document approved by the CEO on 16 December 2013.



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 d. the natural and development-influenced rates, and spatial and temporal patterns of sediment deposition; e. assessing sediment deposition influenced changes in the sediment characteristics with distance from the dredged channel and turning basin to the zone of moderate impact/influence boundary; f. the spatial extent, distribution, community composition (at a suitable taxonomic resolution to differentiate different communities), seasonality and condition of benthic habitats; and g. the preparation of benthic habitat maps at scales that will enable the identification of suitable marine turtle and marine mammal foraging habitats; and ii. timing for the implementation of the various surveys having regard for requirements of condition 10-2; and iii. timing and frequency of reporting. 				
930:M10.4	State of the Marine Environment Surveys	Within a timeframe not longer than three months prior to the commencement of marine works, the proponent shall implement the Pre-development Baseline component of the approved Scope of State of the Marine Environment Surveys document to the requirements of the CEO.	Implement Pre- development Baseline Survey to the requirements of the CEO.	Correspondence with EPA Services Pre-development Baseline Survey report.	Pre- construction	With prior com mar
930:M10.5	State of the Marine Environment Surveys	At the time specified by the approved Scope of State of the Marine Environment Surveys document, the proponent shall implement the Mid-term component of the approved Scope of State of the Marine Environment Surveys document to the requirements of the CEO.	Implement Mid-term Survey to the requirements of the CEO.	Correspondence with EPA Services. Mid-term Survey Report.	Overall	At the by the Sco Mar Surv
930:M10.6	State of the Marine Environment Surveys	At the time specified by the approved Scope of State of the Marine Environment Surveys document, the proponent shall implement the first Post-development component of the approved State of the Marine Environment Survey document to the requirements of the CEO.	Implement Post- development Survey to the requirements of the CEO.	Correspondence with EPA Services. Post-development Survey Report.	Overall	Time appr Stat Envi
930:M10.7	State of the Marine Environment Surveys	No longer than 5 years following completion of marine works required for the construction of marine facilities, the proponent shall implement a second Post-development State of Marine Environment Survey to determine compliance with the environmental protection outcomes set in condition 8-1 and 8-14 (or any approved revised environmental protection outcome) to the requirements of the CEO. The scope of the second Post- development State of Marine Environment Survey shall have regard to condition 10-2 (iv) and the findings of the first Post-development State of Marine Environment Survey required by condition 10-6.	Implement second Post- development Survey.	Correspondence with EPA Services Second Post- development Survey Report.	Overall	With follo of th requ cons facil
930:M10.8	State of the Marine Environment Surveys	The proponent shall report the findings of the Pre-development Baseline State of Marine Environment Surveys required by condition 10-4, to the CEO within six months of having completed that survey.	Submission of Pre- development Baseline Survey report to CEO	Pre-development Baseline Survey report.	Pre- construction.	With com

meframe	Status	Further Information
thin three months or to mmencement of arine works.	NR	
the time specified the approved ope of State of the arine Environment rveys.	NR	
ne specified by proved scope of ate of the Marine vironment Surveys.	NR	
thin 5 years owing completion the marine works quired for nstruction of marine illities.	NR	
thin six months of npleting the survey.	NR	

110



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
			within six months of survey completion.		1.	
930:M10.9	State of the Marine Environment Surveys	The proponent shall report the findings of subsequent State of Marine Environment Surveys required by conditions 10-5, 10-6 and 10-7 and include in each report an appraisal of compliance with environmental protection outcomes required by condition 8-1 and 8- 14 having regard to any relevant approved Revised Environmental Protection Outcome, to the CEO within four months of having completed each survey. A copy of this report is to be provided to the Department of Primary Industries and Regional Development (DPIRD) - Fisheries.	compliance against the EPOs, within four months of survey completion, to CEO and the DPIRD-	Mid-term, Post- development and second Post-development survey reports.	Overall	With havi each
930:M11.1	Coastal Processes	 The proponent shall ensure that design, construction and operation of the nearshore marine facilities (as defined in Schedule 1) achieve the following outcomes as far as is reasonably practicable as measured under a Coastal Habitat Management Plan approved by condition 11-2: minimise change to littoral sediment transport; maintain the natural tidal regime within Bouguer Passage; and maintain beach and dune integrity for turtle nesting purposes at all turtle nesting beaches potentially affected by the construction and operation of nearshore marine facilities, other than at Anketell Point (Figure 6). 	Implement monitoring and management actions in accordance with approved Coastal Habitat Management Plan (CHMP) to ensure operation of nearshore marine facilities are in accordance with condition 11-1	Monitoring and survey reports.	Overall	On-ç
930:M11.2	Coastal Processes	 Prior to construction activities, the proponent shall revise the Coastal Habitat Management Plan (November 2010, Rev0) in consultation with the DEC to be approved by the CEO. The plan shall include: beach profiles at Anketell Point using on-ground surveys which monitor beach width and slope, particle grain size, and records significant inflection points and features including primary dune, vegetation line, scarp, high tide mark, water line; tracking changes in sediment distribution and type within the near-shore area of Anketell Point and Bouguer Passage; management triggers relevant to achieving the outcomes specified in condition 11-1; management measures that will be implemented in the event that management triggers are likely to be exceeded; and a community liaison strategy to obtain feedback on impacts on recreational values. 	Revision of CHMP in consultation with DEC to be approved by the CEO.	Approved CHMP Correspondence register.	Pre- construction	Prior activ
930:M11.3	Coastal Processes	The proponent shall implement the approved Coastal Habitat Management Plan referred to in condition 11-2.	Implement approved CHMP.	Monitoring reports. Compliance Assessment Reports.	Overall	Ong

meframe	Status	Further Information
ithin four months of ving completed ch survey.	NR	
n-going.	NR	
ior to construction tivities.	CLD	CHMP, and summary of consultation, submitted to the CEO on 20 January 2015. Approved 19 March 2015.
igoing.	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
930:M11.4	Coastal Processes	The proponent shall report any non-achievement of the management trigger referred to in condition 11-2, along with measures taken and/or proposed to be taken, and strategies to be implemented in response to the non-achievement, to the CEO within 21 days of the non-achievement being identified.	Coastal Processes 21 Day Potential Non- Compliance Report Template.	Correspondence register	Overall	Within 21 days of the non-achievement being identified. Ongoing.	NR	
930:M11.5	Coastal Processes	The proponent shall make the Plan required under condition 11-2 publicly available in a manner approved by the CEO.	CHMP uploaded to website, or otherwise published in accordance with CEO approval.	Screenshot of website.	Overall	Within 7 days of receiving a request to do so.	NR	
930:M12.1	Artificial Light Management – marine turtles	At all stages of the proposal including construction, operations and decommissioning, the proponent shall ensure that, other than at Anketell Point, all turtle nesting beaches as shown in Figure 6 are maintained in the shade at ground level or not subject to direct light exceeding 0.01 lux (±0.005 lux accuracy) from Port infrastructure or activities during the turtle nesting and hatching seasons defined as October to March in any year.	Implement light monitoring and management in accordance with approved Light Management Plan (LMP).	Monitoring reports. Compliance Assessment Reports.	Overall	October to March in any year. Ongoing.	NR	
930:M12.2	Artificial Light Management – marine turtles	 The proponent shall develop, to the satisfaction of the CEO, and implement a Light Management Plan that includes marine turtle mitigation measures for avoidance, minimisation, monitoring and adaptive management for artificial light stressors during construction and operation of the proposal. This Plan must include the following Objectives: address the long-term management of marine turtles that utilise the beaches identified in Figure 6 and other nesting beaches and waters where there are proposal related stressors; establish a monitoring program to measure and detect changes to marine turtle populations that are potentially affected by artificial light related stressors; and specify design features, management measures and operational controls to manage and where practicable, avoid adverse impacts on marine turtles with specific reference to reducing impacts from artificial light. 	Implement approved LMP.	Approved LMP Monitoring reports Compliance Assessment Reports.	Overall	Ongoing.	CLD	Light Management Plan submitted to the CEO on 26 June 2014 and approved on 4 September 2014.
930:M12.3	Artificial Light Management – marine turtles	 The Light Management Plan required under condition 12-2 shall include the following: 1. report the baseline information on the population(s) of marine turtles that utilise habitats within and adjacent to the Anketell Point including those habitats identified in Figure 6, Delambre Island and Legendre Island and waters where there are proposal related light stressors; 2. identify the sources and location(s) of project related light stressors with the potential to cause adverse impacts on marine turtles; 3. define a monitoring program to measure and detect changes to marine turtle populations from artificial light; 	Preparation of LMP in accordance with Condition 12.3	Approved LMP	Pre- construction	Ongoing	CLD	Light Management Plan approved by the CEO on 4 September 2014.



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 specify design features, management measures and operating controls to manage artificial light, with the aim to avoid impacts on marine turtles, which include (but are not limited to): a. shrouding of lights or directional shading on marine and coastal infrastructure, ships and other vessels related to construction activities; b. marine vessel holding areas that aim to concentrate light effects from shipping in areas that will minimise light impacts on turtle nesting beaches and anchor damage in foraging habitats; c. low intensity and low elevation lighting; and d. motion sensors and timer devices; annual audits and reviews of the effectiveness of lighting design features, management measures and operational controls; performance indicators against which the achievement of the objectives of the Plan and the effectiveness of mitigation measures can be determined; contingency management response should monitoring of performance indicators indicate that the objectives of the Plan are not being met; and protocols to detect, rescue and release adult and hatchling turtles that are or have been miss-orientated or disorientated by artificial light attributed to the proposal. 						
930:M12.4	Artificial Light Management – marine turtles	The proponent shall report any harm, injury or mortality of marine turtles or other threatened or specially protected fauna to the DEC within 24 hours following detection.	Marine Fauna 24 hour Incident Report Template	Correspondence register	Overall	Within 24 hours following detection. Ongoing	NR	
930:M13.1	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	 The proponent shall engage dedicated Marine Fauna Observers who must: 1. demonstrate a knowledge of marine wildlife species in the Pilbara region, including Threatened and Migratory Species listed under the Environment Protection and Biodiversity Conservation Act 1999, Wildlife Conservation (Specially Protected Fauna) Notice 2012), Fish Resources Management Act 1994 and DEC priority listed species, and their behaviours; 2. have the capacity, subject to safety considerations, to move and make observations and other relevant records independently within the vicinity of marine construction activities (including pile driving and dredging); 3. be on duty during all daylight hours when pile-driving and/or dredging operations are conducted; and 4. maintain a log of: 	Engage suitably trained Marine Fauna Observers in accordance with condition 13-1	Personnel Training Register (available on request) Marine Fauna Observation logs Compliance Assessment Reports	Overall	Ongoing	NR	



GOVERNMENT OF WESTERN AUSTRALIA

ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 a. observations of cetaceans in a format consistent with the National Cetacean Sightings and Strandings Database; b. observations of marine fauna, including injured or dead fauna within 500 metres of the marine construction activities referred to in condition 13-1(2); c. observations of fauna behaviour, in particular any behaviour that could be in interpreted as a display of disturbance or distress; d. management response by the proponent in relation to observation of disturbed or distressed fauna, and injured or dead fauna; and e. observation hours in relation to the duration of the pile driving and dredge activity. 				
930:M13.2	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	The proponent shall within six months of completing pile driving operations, lodge cetacean records with the National Cetacean Sighting and Strandings Database at the Australian Antarctic Division and with the DEC.	Lodge cetacean records with the National Cetacean and Strandings Database (AAD) and DEC	Correspondence register Data transmittal	Overall	With com oper
930:M13.3	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	At least one member of the crew on each vessel undertaking construction activities (dredge, piling vessels) will be trained in marine fauna observations and mitigation measures, including the requirements of the Wildlife Conservation (Closed Season for Marine Mammals) Notice 1998, as amended or replaced from time to time, and maintain a watch and a log of fauna observed during transit and construction activity consisting of Global Positioning System coordinates, species (if known), and behaviour.	Trained crew on each construction vessel to maintain watch and keep log of fauna observed in accordance with	Marine Fauna Observation logs Training records available on request	Construction	Durin cons
930:M13.4	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	Logs required under condition 13-3 are to be submitted to the DEC on an annual basis at the same time as submitting the compliance assessment report required by condition 4-6.	Marine fauna observation logs submitted to DEC.	Correspondence register Data transmittal.	Construction	Ву З
930:M13.5	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	Vessels engaged in construction of the nearshore or offshore marine facilities shall not exceed those speeds specified in the Marine Fauna Management Plan required under condition 13-12 or a speed designated by the Department of Transport or relevant Port Authority, whichever is lesser.	Construction vessels to adhere to nominated speed limits.	Vessel logs	Construction	Ong cons
930:M13.6	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	No marine pile driving operations shall commence until the Marine Fauna Observer (or observers) required by condition 13-1 have verified that no cetacean(s) or dugong(s) have been observed within a radius of 1,500 metres or marine turtles within a radius of 300 metres from piling operations during the 20 minute period immediately prior to commencement of piling operations.	Implement piling management protocol in accordance with Condition 13.6.	Marine Fauna Observation logs.	Construction	With prior com piling
930:M13.7	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	Prior to commencement of full power marine pile driving, the proponent shall implement soft start-up procedures that slowly increase the intensity of noise emissions over a period of no less than 15 minutes.	Implement soft start piling management protocol in accordance with Condition 13.7.	Marine Fauna Observation logs.	Construction	Prior com powe drivir

neframe	Status	Further Information	
thin 6 months of npleting pile driving	NR		
ring marine nstruction activities.	NR		
30 April annually.	NR		
going during istruction activities.	NR		
thin 20 minutes or to nmencement of ng operations.	NR		
or to nmencement of full ver marine pile ving	NR		



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
930:M13.8	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	If the Marine Fauna Observer(s) required by condition 13-1, or any other person, observes a marine turtle enter within 100 metres of a piling operation, or cetacean or dugong within 500 metres of a piling operation, that piling operation is to be suspended.	Suspension of piling operations in the event that a marine turtle or cetacean enters the suspension zone.	Marine Fauna Observation logs	Construction	lmm obse
930:M13.9	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	Marine pile driving that has been suspended in accordance with condition 13-8 shall not recommence until the cetacean or dugong has moved beyond 1,500 metres from the suspended piling operation or the marine turtle beyond 300 metres of their own accord, or the cetacean, dugong or marine turtle has not been observed within the exclusion zone for a period of 30 minutes. Marine pile driving that has been suspended for more than 15 minutes shall recommence with soft start-up procedures as required by condition 13-7.	turtle or cetacean has exited exclusion zone or has not been observed	Marine Fauna Observation logs	Construction	Upor dugo beyo from or m movi metr dugo turtle obse exclu perio
930:M13.10	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	 No pile-driving shall occur between the hours of sunset and sunrise during: 1. the turtle nesting season defined as 20 October to 10 March in any year; or 2. the peak southern migration of mother and calf humpback whale pods defined as 1 September to 31 October in any year. 	No piling to occur between sunrise and sunset during the turtle nesting season or peak of the southern humpback whale migration (as defined in Condition 13-10)	Marine Fauna Observation logs	Construction	No p betw suns durin 10 M Sept Octo
930;M13.11	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	Except during periods specified in 13-10(1) and (2) marine pile driving commenced prior to sunset can continue between the hours of sunset and sunrise, unless marine pile driving is suspended for more than 15 minutes.	Piling commenced prior to sunset may continue except during the turtle nesting or peak southern humpback whale migration periods, or following a suspension of greater than 15 minutes	Marine Fauna Observation logs	Construction	Exce spec if pile susp than
930:M13.12	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	 Prior to the commencement of construction and/or dredging and dredge spoil disposal activities, unless otherwise approved by the CEO, the proponent shall revise the <i>Marine Fauna Management Plan (December 2010, Rev 2)</i>, in consultation with the DEC to the satisfaction of the CEO. The objective of this Marine Fauna Management Plan is to ensure that the proponent constructs and operates the proposal so as to: detect, avoid, or where this is not practicable, mitigate, impacts upon conservation significant marine fauna, from construction and operation of the proposal; measure underwater noise from pile driving operations to establish a library of sound signals: a. at varying distances from the noise source; when driving piles of different sizes and types; 	Revision of MFMP in consultation with DEC to the requirements of Condition 13.12	Approved MFMP	Pre- construction	Prior comr cons dredg spoil activi other the C

meframe	Status	Further Information
mediately following servation.	NR	
oon cetacean or gong moving yond 1,500 metres om piling operations marine turtle oving beyond 300 etres, or cetacean, gong or marine tle has not been served within the clusion zone for a riod of 30 minutes.	NR	
pile-driving tween the hours of nset and sunrise ring 20 October to March and 1 eptember to 31 ctober in any year.	NR	
cept in time periods ecified in 13-10, and bile driving has been spended for more an 15 minutes	NR	
ior to the mmencement of nstruction and/or edging and dredge oil disposal tivities, unless nerwise approved by e CEO.	CLD	Final MFMP, and summary of consultation, submitted to the CEO on 31 October 2014. Final MFMP approved by the CEO on 5 December 2014.

PM



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

ode Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
	 c. during the concurrent pilling of different numbers of piles; d. in conditions of different water depths; and e. in different driving conditions (substrate types); 3. review the predictive capacity of the noise propagation model used for the pile driving and make recommendations for improving the current management measures outlined in condition 13-1 and the accuracy of underwater noise modelling for future underwater noise assessments; 4. include the following marine turtle monitoring and management elements: a. design features and operating procedures that will be used to minimise, as far as reasonably practicable, adverse impacts on marine turtles from dredging and spoil disposal activities; b. operating procedures that will be used to detect, record and report to the DEC injury or mortality to listed marine turtles from dredging or spoil disposal and activities; c. performance standards against which achievement of the objectives of this condition can be determined; and d. management Plan required under condition 13-12: a. a. description of the environmental stressors relating to the construction and operation of the marine components of the proposal which are likely to impact on conservation significant marine fauna. (environmental stressors may include, but are not limited to, noise, vibration, light spill and glow, vessel movements and strikes, dredge entrainment, and changes to coastal processes and water quality with the potential to impact on avoid, or where this is not practicable, mitigate impacts of the environmental stressors relating to the construction and operation of the marine curion which the proponent will implement to avoid, or where this is not practicable, mitigate impacts of the environmental stressors relating to the construction and performance standards to avoid, or where this is not practicable, mitigate impacts of the environmental stressors relating to the construction and performance standards to a						

ß



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
1		management actions are achieving the plan objectives referred to in condition 13-12.				
930:M13.13	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	The proponent shall implement the approved Marine Fauna Management required under condition 13-12.	Implementation of approved MFMP	Monitoring reports Compliance Assessment Reports	Overall	Ong
930:M13.14	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	The proponent shall make the Marine Fauna Management Plan approved pursuant to condition 13-12 publicly available in a manner approved by the CEO.	MFMP uploaded to website, or otherwise published in accordance with CEO approval	Screenshot of website	Overall	With rece do se
930:M13.15	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	The proponent shall review biannually the approved Marine Fauna Management Plan.	Bi-annual review of MFMP	Compliance Assessment Reports Review history within MFMP	Overall	Bian
930:M13.16	Marine Fauna Interaction – Marine Pile Driving, Dredging and Marine Construction Vessels	 The proponent shall report to: 1. the CEO any non-achievement of the environmental performance standards referred to in condition 13-12 5 c and its recommendations for how the plan should be amended to ensure standards are achieved within 21 days of it having determined non-achievement; and 2. the DEC any natural or proposal attributable injury or mortality of conservation significant marine fauna within 24 hours of the observation. 	Marine Fauna 21 Day Potential Non- Compliance Report Template Marine Fauna 24 hour Incident Report Template	Correspondence register Compliance Assessment Reports	Overall	Repo withi dete achie Repo withi obse or pr injury cons signi faun
930:M14.1	Operational Marine Environmental Quality	Prior to the completion of the construction of marine infrastructure described in the approved Marine Infrastructure Plan, and prior to the commencement of the shipment of product from the Port, the proponent must finalise a Port Operations Marine Environmental Monitoring and Management Plan in liaison with the Dampier Port Authority and approved by the CEO, and provide any spatial data in a format compatible with a GIS acceptable to the CEO.	Finalise Port Operations Marine Environmental Monitoring and Management Plan (POMEMMP) in consultation with the DPA to the satisfaction of the CEO Submit spatial data in GIS compatible format specified by the CEO	Final POMEMMP Data transmittal	Construction	Prior mari and com ship from
930:M14.2	Operational Marine Environmental Quality	The objectives of the Port Operations Marine Environmental Monitoring and Management Plan will be to ensure that Port operational (e.g. discharges, ship movements, etc) and maintenance (e.g. dredging) activities are managed to achieve the following marine environmental protection outcomes: i. achievement of the environmental quality objectives and levels of ecological protection defined through condition 14- 3(i) and described in Schedule 3 and shown in Figure 7; and	Preparation of	Approved POMEMMP	Overall	Ongo

meframe	Status	Further Information
ngoing.	NR	
ithin 7 days of ceiving a request to so.	NR	
annually.	NR	
eport to the CEO thin 21 days of termining non- hievement. eport to the DEC thin 24 hours of serving any natural proposal-attributed ury or mortality of nservation gnificant marine	NR	
una. for to completion of arine infrastructure d prior to the mmencement of the ipment of product m the port.	NR	
ngoing.	NR	

11



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		ii. no detectible net negative change to benthic habitats relative to the baseline state of those habitats, outside of the Zones of High Impact, shown in Figures 4 and 5 and defined in Tables 3 of Schedule 1.						
930:M14.3	Operational Marine Environmental Quality	 The Port Operations Marine Environmental Monitoring and Management Plan shall include: Map(s) spatially representing the Zone of high impact, the environmental quality objectives to be achieved and the levels of ecological protection referred to below consistent with Schedule 3: Moderate Ecological Protection Area(s) (MEPA) defined as the area contained within 250 metres of the shipping berths and ship turning basin, and the area enclosed by the Marine Offloading Facility breakwaters; and a. High Ecological Protection Area (HEPA) outside of the Moderate Ecological Protection Area, including the Shipping Channel; Note: Schedule 3 describes Environmental Quality Objectives and associated Levels of Ecological Protection and provides guidance on allowable levels of change and appropriate guidance on trigger values. ii. description of how the Port Operations Marine Environmental Monitoring and Management Plan complements and links with the Coastal Habitat Management Plan and the Marine Fauna Management Plan; iii. descriptions of the port operational and maintenance activities that could significantly impact the marine environment and the impact and reference monitoring sites relevant to these activities, including key physical attributes, geographic locations and measures of the baseline condition of benthic communities to be monitored; iv. descriptions of the environmental indicators to be monitored (physical, chemical and biological) and the environmental quality guidelines and standards that will be used in a risk-based tiered approach for assessing environmental performance against the environmental protection outcomes set in condition 14-2; v. the monitoring methodologies to be applied to measure the relevant environmental indicators; vi. the timing and frequency for monitoring the relevant environmental indicators at the different impact and reference sites to inform adaptive management of the identified port activitie	Preparation of POMEMMP in accordance with Condition 14.3	Approved POMEMMP	Overall	Ongoing.	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 vii. the monitoring and data evaluation procedures to be applied so as to assess achievement of the environmental protection outcomes set in condition 14-2; viii. management actions that will be implemented in the event that the management triggers values for each tier set in condition 14-3(iv) are not met; ix. a requirement for all port-related operational and maintenance activities and wastewater discharges to be managed with the objective of achieving the environmental protection outcomes established in condition 14-2; and x. a regular environmental performance monitoring and reporting schedule, including any contingency measures required to ensure achievement of the environmental quality objectives. 				
930:M14.4	Operational Marine Environmental Quality	The proponent must only discharge wastewater to the marine environment through purpose-built outfalls.	No wastewater discharges beyond purpose-built outfalls	Compliance Assessment Reports	Overall	Ong
930:M14.5	Operational Marine Environmental Quality	Wastewater treatment and wastewater discharge infrastructure must comply with contemporary best practice principles including modelling based on a specific port design, diffuser performance, effluent characteristics and toxicity, ambient water quality conditions and specific mitigation measures.	Best practice principles, modelling of initial dilution and toxicity and ambient conditions to inform wastewater discharge design	Works approval documentation	Overall	Ong
930:M14.6	Operational Marine Environmental Quality	The proponent shall implement the approved Port Operations Marine Environmental Monitoring and Management Plan required under condition 14-1 prior to the commencement of the shipment of product from the Port.	Implement approved POMEMMP prior to first shipment of product	Monitoring reports Compliance Assessment Reports	Overall	Prior com ship from Ong
930:M14.7	Operational Marine Environmental Quality	In the event that monitoring carried out under the approved Port Operations Marine Environmental Monitoring and Management Plan determines that any of the environmental protection outcomes set in condition 14-2 are not being achieved, the proponent shall report the findings to the CEO as soon as practicable, but within five working days, along with a description of the management actions to be taken to meet the required level of environmental quality.	Reporting of non- achievement of EPOs to CEO as soon as practicable, but within 5 working days	Compliance Assessment Reports Non-compliance reporting	Overall	As s withi Ongo
930:M15.1	Introduced Marine Pests	The proponent shall manage non-trading vessel activities and immersible equipment activities whilst engaged for the construction, operation, maintenance and decommissioning of the proposal so as to prevent the introduction of Introduced Marine Pests into State waters.	Implement approved Introduced Marine Pest Risk Assessment	Completed Risk Assessments Compliance Assessment Reports	Overall	Ong
930:M15.2	Introduced Marine Pests	 Prior to any non-trading vessels or immersible equipment entering the Port Area, the proponent shall prepare an Introduced Marine Pest Risk Assessment Procedure to the satisfaction of the CEO in consultation with the DPIRD - Fisheries which includes but is not limited to the following: all factors to be considered in the risk assessment; 	Preparation of Introduced Marine Pest Risk Assessment Procedure in consultation with DPIRD-Fisheries to the satisfaction of the CEO	Approved Introduced Marine Pest Risk Assessment Procedure	Pre- Construction	Prior tradi immo ente Ongo

meframe	Status	Further Information
ngoing.	NR	
ior to mmencement of the ipment of product	NR NR	
m the port. ngoing. soon as practicable thin 5 working days. ngoing	NR	
ngoĭng.	NR	
or to any non- ding vessels or mersible equipment tering the Port area. agoing	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		 ii. limits for unacceptable risk of introducing an Introduced Marine Pest; iii. a tool for performing Introduced Marine Pest Risk Assessments; and iv. measures to be implemented to reduce risks to an acceptable level, where the risk assessment identifies an unacceptable risk. 				
930:M15.3	Introduced Marine Pests	The proponent shall ensure that any non-trading vessels or immersible equipment are subject to an Introduced Marine Pest Risk Assessment, prior to entering or demobilising from the Port Area, in accordance with the Introduced Marine Pest Risk Assessment Procedure approved pursuant to condition 15-2.	All non-trading vessels and immersible equipment subject to Introduced Marine Pest Risk Assessment	Completed Risk Assessments Log of vessel movements into/out of Port Area Compliance Assessment Reports	Overall	Prio dem Port
930:M15.4	Introduced Marine Pests	The proponent shall ensure that any Introduced Marine Pest Risk Assessment undertaken pursuant to condition 15-3 is recorded and that record is provided to the DPIRD - Fisheries within seven days of the Introduced Marine Pest Risk Assessment being undertaken.	Record all Introduced Marine Pest Risk Assessments and provide records to DPIRD - Fisheries within seven days	Completed Risk Assessments Correspondence register	Overall	Sub DPI with Intro Pes bein Ong
930:M15.5	Introduced Marine Pests	The proponent shall ensure that any non-trading vessel or immersible equipment that poses an unacceptable risk, as defined by the limits identified under condition 15-2ii, of introducing Introduced Marine Pests, as determined by an Introduced Marine Pest Risk Assessment undertaken pursuant to condition 15-3, does not enter the Port Area.	Implement approved Introduced Marine Pest Risk Assessment including measures to reduce risks to acceptable levels	Completed Risk Assessments Vessel logs	Overall	Ong
930:M15.6	Introduced Marine Pests	 Prior to any non-trading vessels or immersible equipment entering the Port Area, the proponent shall prepare an Introduced Marine Pests Monitoring Program to the satisfaction of the CEO in consultation with the DPIRD-Fisheries that: i. is consistent with monitoring design, implementation and reporting standards as set out in the National System for the Prevention and Management of Marine Pest Incursions (Marine Intergovernmental Agreement, April 2005); ii. includes a minimum monitoring frequency of once every two years and/or consistent with the National System for the Prevention and Management of Marine Pest Incursions (Marine Intergovernmental Agreement, April 2005); iii. includes a minimum monitoring frequency of once every two years and/or consistent with the National System for the Prevention and Management of Marine Pest Incursions (Marine Intergovernmental Agreement, April 2005); and iii. requires opportunistic sampling and analysis of specimens removed during port, vessel and immersible equipment monitoring activities. 	Program (IMPMP) in consultation with DPIRD- Fisheries to the satisfaction of the CEO	Approved IMPMP	Pre- construction	Prio tradi imm ente Ong
930:M15.7	Introduced Marine Pests	The proponent shall implement the Introduced Marine Pests Monitoring Program approved pursuant to condition 15-6, or amended versions approved by the CEO for the life of the proposal,	Implementation of approved IMPMP prior to commencement of marine construction	Monitoring reports Compliance reports	Overall	Prio the I non-

meframe	Status	Further Information
ior to entering or mobilising from the ort area. Ongoing	NR	
Ibmitted to the PIRD-Fisheries thin 7 days of the roduced Marine est Risk Assessment ing undertaken, ngoing	NR	
ngoing.	NR	
ior to any non- iding vessels or mersible equipment tering the Port area. ngoing	CLD	IMPMP approved by the DPIRD-Fisheries 4 February 2014. Submitted to EPA Services 11 February 2014. Approved by CEO EPA Services 9 April 2014.
ior to any entry to Port area by a n-trading vessel or	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		prior to any entry to the Port Area by a non-trading vessel or immersible equipment.				immersible equipment. Ongoing		
930:M15.8	Introduced Marine Pests	The proponent shall provide the results of monitoring undertaken pursuant to condition 15-7 to the CEO and the DPIRD-Fisheries annually.	Annual reporting of monitoring results to CEO and DPIRD- Fisheries	Monitoring reports Correspondence register	Overall	To the CEO and the DPIRD-Fisheries annually. Ongoing	NR	
930:M15.9	Introduced Marine Pests	Prior to any non-trading vessel or immersible equipment entering the Port Area, the proponent shall prepare an Introduced Marine Pest Management Strategy to the satisfaction of the CEO in consultation with the DPIRD-Fisheries, to prevent wherever practicable, the establishment and proliferation of any Introduced Marine Pest, aiming to control and potentially eradicate that Introduced Marine Pest, and to minimise the risk of that Introduced Marine Pest being transferred to other locations within Western Australia.	Prepare Introduced Marine Pest Management Strategy in consultation with DPIRD- Fisheries to the satisfaction of the CEO	Approved Introduced Marine Pest Management Strategy	Pre- construction	Prior to any non- trading vessel or immersible equipment entering the Port area. Ongoing	C	Introduced Marine Pest Management Strategy submitted to the DPIRD-Fisheries for review on 9 January 2015.
930:M15.10	Introduced Marine Pests	 The proponent shall notify the CEO, DPIRD-Fisheries and any relevant Port Authority: within 24 hours following initial detection of a suspected Introduced Marine Pest; and within 24 hours following subsequent analysis and confirmation of species identification of the suspected Introduced Marine Pest. 	IMP 24-hour Incident Report Template Notify CEO, DPIRD- Fisheries and relevant port authority within 24 hours of confirmation of species identification	Correspondence register	Overall	Notify the CEO, DPIRD-Fisheries and relevant Port Authority within 24 hours of initial detection and subsequent analysis and confirmation of suspected Introduced Marine Pests. Ongoing	NR	
930:M15.11	Introduced Marine Pests	In the event that any Introduced Marine Pests are suspected or detected, the proponent shall, in consultation with the DPIRD- Fisheries and the CEO implement the Introduced Marine Pests Management Strategy.	Implement Marine Pests Management Strategy	Correspondence register	Overall	Ongoing.	NR	
930:M15.12	Introduced Marine Pests	The proponent is to submit a report detailing the outcomes of any implementation of the Introduced Marine Pests Management Strategy to the DPIRD-Fisheries and the CEO within 30 days of the commencement of the implementation of the Introduced Marine Pests Management Strategy (IMPMS) and thereafter as required by the CEO in consultation with the DPIRD-Fisheries.		Marine Pests Management Strategy implementation report Correspondence register	Overall	Within 30 days of the commencement of the implementation of the IMPMS. Ongoing	NR	
930:M16.1	Decommissioning	 At least six months prior to the anticipated date of closure, the proponent shall prepare a decommissioning plan that meets the following decommissioning criteria, subject to the approval of the CEO: 1. removal or, if agreed in writing by the appropriate regulatory authority, retention of plant and infrastructure agreed in consultation with relevant stakeholders; 2. rehabilitation of all disturbed areas to a standard suitable for the new land use(s) as agreed pursuant to the consultation referred to in condition 16-1(1); and 	Prepare Decommissioning Plan in accordance with Condition 16.1 to be approved by the CEO	Approved Decommissioning Plan	Overall	At least six months prior to the anticipated date of closure.	NR	

KI



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		 identification of contaminated areas, including provision of evidence of notification and proposed management measures to relevant statutory authorities. 						
930:M17.1	Consultation with Relevant Stakeholders	The Proponent shall provide evidence to the CEO that relevant stakeholders, including Traditional owners, have been consulted about the terrestrial facilities and disturbance footprint; been given a reasonable opportunity to comment and how their comments have been addressed.	Reporting of consultation, including outcomes, to CEO	Correspondence register Workshop or meeting records	Pre- construction	Prior to construction.	NR	
930:M17.2	Consultation with Relevant Stakeholders	The proponent shall consult with the relevant stakeholders as appropriate regarding plans and programs required by other conditions in this Statement as agreed by the CEO prior to endorsement of each plan or program by the CEO and prior to implementation of each plan or program.	Consultation with relevant stakeholders regarding plans and programs	Correspondence register Draft plans and programs including summary of consultation Approved plans and programmes	Overall	Prior to CEO endorsement of each plan or program and prior to the implementation of each plan or program.	C	Summary of stakeholder consultation, undertaken in accordance with approved Stakeholder Consultation Plan (approved by CEO on 24 June 2013), submitted alongside plans and programs prior to the CEO's endorsement of each plan or program.
930:M18.1	Staging of Plans	Where a plan, program, report or survey is required by the implementation conditions of this Statement to be prepared and approved prior to the commencement of an activity, it is required that the plan, strategy, report or survey can be prepared and approved as per the relevant condition requirements for a component or stage of the activity, allowing staged implementation.	Preparation of each plan, program, report or survey in accordance with relevant condition(s) to allow staged implementation as required.	Approved plan, program, report or survey	Overall	Ongoing.	C	
930:M19.1	Review of Plans	If the proponent amends any plan, program, report or strategy or other document required by the implementation conditions of this Statement, the proponent must implement the amended plan from the date of the amendment.	Implement most recent version of any plan, program, report or strategy	Correspondence register Compliance Assessment Reports Approved plans and programmes	Overall	Ongoing.	NR	
930:M19.2	Review of Plans	If any plan, program, report or strategy is required to be to the satisfaction of the CEO under the implementation conditions of this Statement, the proponent may only make a significant amendment to the plan, program, report or strategy if the amendment is acknowledged by the CEO in writing as being to the CEO's satisfaction. Significant amendments are those amendments which alter the obligations of the proponent, that is, are not minor or administrative.	Approval of significant document amendment(s) by CEO	Approved plans and programmes Correspondence register	Overall	Ongoing.	NR	
930:M20.1	Residual impact and risk management measures	In order to mitigate for significant residual impacts and risks (permanent and temporary) of the proposal to marine benthic habitat, mangroves, significant marine and terrestrial fauna, the proponent shall undertake the following residual impact and risk	Undertake residual impact and risk management measures as detailed in Schedule 4	Funding plans Correspondence register	Overall	Ongoing.	NR	

Each page must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS:



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Audit Code	Subject	Requirement	How	Evidence	Phase	Tim
		management measures, consistent with financial, governance and accountability arrangements described in Schedule 4 (proponent residual impact and risk management measures – Anketell Point Port Development), unless otherwise agreed with the CEO.				
930:M20.2	Residual impact and risk management measures	The proponent will contribute funds to relevant scientific research, on the basis described in Schedule 4 (Project A). The aim of the project is to add to the understanding and management of the impacts and risks to conservation significant marine fauna (i.e. whales, dugongs, dolphins, sea turtles) from marine and coastal development in the Pilbara region. Within the timeframe specified in Schedule 4, unless otherwise approved by the CEO, the proponent, in consultation with the DEC, will submit a plan to fund relevant research, for approval by the CEO.	Submit funding plan, in consultation with DEC, for approval by the CEO.	Correspondence register	Overall	Subirelevileasi to po infra cons com othe the 0
930:M20.3	Residual impact and risk management measures	The proponent will fund studies to improve the understanding of impact of marine noise on marine mammal behaviour, on the basis described in Schedule 4 (Project B). The aim of the project is to add to the understanding and management of the impacts of noise from marine construction activities on marine mammal behaviour. At least six months prior to port marine infrastructure construction commencing or unless otherwise approved by the CEO, the proponent will submit a plan to fund relevant research.	Submit funding plan at least six months prior to port marine infrastructure construction commencing	Funding plan Correspondence register	Pre- construction	Subr relev least port infra cons com othe
930:M20.4	Residual impact and risk management measures	The proponent will contribute to the Western Australian Marine Science Institution (WAMSI) Dredging Science Node, on the basis described in Schedule 4 (Project C). The aim of the project is to enhance the capacity of Government and the private sector to predict and manage the environmental impacts of dredging on tropical marine communities in Western Australia. Within the timeframe specified in Schedule 4 or unless otherwise approved by the CEO, the proponent will enter into a contract with the Centre Agent for WAMSI to fund the Dredging Science Node.	Contract with WAMSI to fund Dredging Science Node	Contract Correspondence register	Overall	Com 6 mari cons com othe the 0
930:M20.5	Residual impact and risk management measures	The proponent will contribute to management and recovery and research for the <i>Wildlife Conservation (Specially Protected Fauna) Notice 2012</i> Schedule 1 species <i>Lerista nevinae</i> , on the basis described in Schedule 4 (Project D). The aim of the project is to provide for active management and recovery and to improve understanding of the ecology, population genetics and habitat requirements of the species. Within the timeframe specified in Schedule 4, or otherwise approved by the CEO, the proponent will submit a plan to fund relevant research developed in consultation with DEC for the approval of the CEO.	Submit funding plan, in consultation with DEC, for approval by the CEO.	Funding plan Correspondence register	Overall	Com 6 mc mari cons com othe the C
930:M20.6	Residual impact and risk management measures	The proponent will contribute to management of Dixon Island, on the basis described in Schedule 4 (Project E). The aim of the project is to improve conservation outcomes on Dixon Island. At least six months prior to port marine infrastructure construction commencing or unless otherwise approved by the CEO, the proponent will submit	Submit funding plan, in consultation with DEC, at least six months prior to port marine infrastructure construction commencing	Correspondence register	Overall	Com mon mari cons com

meframe	Status	Further Information
Ibmit a plan to fund evant research at ast 18 months prior port marine rastructure nstruction mmencing or	NR	
nerwise approved by a CEO. Ibmit a plan to fund evant research at ast 6 months prior to rt marine rastructure nstruction mmencing or nerwise approved by a CEO	NR	
CEO. Commencing at least nonths prior to port arine infrastructure nstruction mmencing or nerwise approved by CEO.	NR	
mmencing at least nonths prior to port arine infrastructure nstruction mmencing or nerwise approved by a CEO.	NR	Lerista nevinae now Schedule 2, Division 3 Endangered Reptiles under Wildlife Conservation (Specially Protected Fauna) Notice 2017 (16 January 2018).
mmencing at least 6 onths prior to port arine infrastructure nstruction mmencing or	NR	



ATTACHMENT 2 TO STATEMENT OF COMPLIANCE

AUDIT TABLE

Proposal Name: ANKETELL POINT PORT DEVELOPMENT, ANTONYMYRE, SHIRE OF ROEBOURNE

Audit Code	Subject	Requirement	How	Evidence	Phase	Timeframe	Status	Further Information
		a plan to fund relevant management activities developed in consultation with DEC.				otherwise approved by the CEO.		
930:M20.7	Residual impact and risk management measures	The proponent shall make publicly available, in a manner approved by the CEO, all conservation and research outcomes from Projects A, B, C, D and E.	Conservation and research outcomes from Projects A, B, C, D and E uploaded to APIM website or published within peer reviewed literature	Screenshot of website Correspondence register	Overall	Within 7 days of being requested to do so.	NR	
930:M20.8	Residual impact and risk management measures	The CEO may approve redirection of all or part of the financial contributions from Projects A, B, C, D or E to another project identified in condition 19 if the proponent and the CEO, in consultation with DEC, agree that better environmental outcomes may be achieved.	Redirection of funds if agreed by the proponent and the CEO	Revised funding plans Correspondence register	Overall	Ongoing.	NR	
930:M20.9	Residual impact and risk management measures	The real value of funds described in Schedule 4 will be maintained through indexation to the Perth consumer price index (CPI), commencing at the date of this Statement, unless otherwise agreed by the CEO. All funds referred to in Schedule 4 are exclusive of GST.	Maintenance of funding value through indexation to Perth consumer price index	Funding plans Compliance Assessment Reports	Overall	Ongoing.	NR	

Each page must be initialed by the person who signs Section 4 of this Statement of Compliance. INITIALS: